


螺纹接头

GBO.LO®



ICN
短管螺纹接头




NPT 阳螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)	
		A	E
ICN-2N	1/8	19.1	4.8
ICN-4N	1/4	28.4	7.1
ICN-6N	3/8	28.4	9.6
ICN-8N	1/2	38.1	11.9
ICN-12N	3/4	38.1	15.7
ICN-16N	1	47.8	22.4

可根据要求提供 ISO 锥形螺纹

IHN
六方阳螺纹接头




NPT 阳螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)		
		A	E	H
IHN-2N	1/8	25.6	4.8	11.1
IHN-4N	1/4	35.6	7.1	14.3
IHN-6N	3/8	36.3	9.6	17.5
IHN-8N	1/2	46.7	11.9	22.2
IHN-12N	3/4	46.7	15.7	27.0
IHN-16N	1	58.9	22.4	34.9

可根据要求提供 ISO 锥形螺纹

IHN
六方阳螺纹接头





NPT阳螺纹转ISO平行阳螺纹

产品型号	P-NPT 螺纹规格	Px-ISO/BSP Pipe规格	尺寸(mm)				
			A	B	C	E	H
IHN-2N-2G	1/8	1/8	27.7	7.1	13.7	4.1	14.3
IHN-4N-4G	1/4	1/4	36.8	11.2	18.0	5.8	19.1
IHN-6N-6G	3/8	3/8	37.6	11.2	21.6	7.9	22.2
IHN-8N-8G	1/2	1/2	44.4	14.2	25.9	11.9	27.0
IHN-12N-12G	3/4	3/4	49.0	15.7	32.0	15.7	33.3
IHN-16N-16G	1	1	56.6	18.3	38.9	19.8	41.3

可根据要求提供 ISO 锥形螺纹

IHLN
加长六方阳螺纹接头




NPT 阳螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)		
		A	E	H
IHLN-2N	1/8	*	4.8	11.1
IHLN-4N	1/4	*	7.1	14.3
IHLN-6N	3/8	*	9.6	17.5
IHLN-8N	1/2	*	11.9	22.2
IHLN-12N	3/4	*	15.7	27.0
IHLN-16N	1	*	22.4	34.9

接头长度尺寸“A”可以自定, 例如产品型号: IHLN-8N-100L (长度“A”:100mm)
可根据要求提供 ISO 锥形螺纹

IHRN
六方阳螺纹变径接头




NPT 阳螺纹

产品型号	P-NPT 螺纹规格	Px-NPT 螺纹规格	尺寸(mm)		
			A	E	H
IHRN-2N-1N	1/8	1/16	25.6	3.0	11.1
IHRN-4N-2N	1/4	1/8	31.0	4.8	14.3
IHRN-6N-2N	3/8	1/8	31.8	4.8	17.5
IHRN-6N-4N	3/8	1/4	36.3	7.1	17.5
IHRN-8N-2N	1/2	1/8	37.3	4.8	22.2
IHRN-8N-4N	1/2	1/4	41.9	7.1	22.2
IHRN-8N-6N	1/2	3/8	41.9	9.6	22.2
IHRN-12N-4N	3/4	1/4	41.9	7.1	27.0
IHRN-12N-8N	3/4	1/2	46.7	11.9	27.0
IHRN-16N-4N	1	1/4	49.3	7.1	34.9
IHRN-16N-8N	1	1/2	54.1	11.9	34.9
IHRN-16N-12N	1	3/4	54.1	15.7	34.9

可根据要求提供 ISO 锥形螺纹

IA
螺纹接头




NPT 阳螺纹转阴螺纹

产品型号	P-NPT 阳螺纹尺寸	Px-NPT 阴螺纹尺寸	尺寸(mm)		
			A	E	H
IA-2N	1/8	1/8	27.9	4.8	14.3
IA-4N	1/4	1/4	35.6	7.1	19.1
IA-6N	3/8	3/8	38.4	9.6	22.2
IA-8N	1/2	1/2	49.3	11.9	27.0
IA-12N	3/4	3/4	51.3	15.7	33.3
IA-16N	1	1	57.9	22.4	41.3

可根据要求提供 ISO 锥形螺纹



IA
螺纹接头



ISO 平行螺纹转NPT 阴螺纹

产品型号	Px-ISO/BSP Pipe规格	P-NPT 阴螺纹规格	尺寸(mm)				
			A	B	C	E	H
IA-2G-2N	1/8	1/8	25.1	7.1	13.7	4.1	14.3
IA-4G-4N	1/4	1/4	33.5	11.2	18.0	5.8	19.1
IA-6G-6N	3/8	3/8	35.8	11.2	21.6	7.9	22.2
IA-8G-8N	1/2	1/2	44.2	14.2	25.9	11.9	27.0
IA-12G-12N	3/4	3/4	48.0	15.7	32.0	15.7	33.3
IA-16G-16N	1	1	53.3	18.3	38.9	19.8	41.3

IRA
大阴小阳螺纹接头





NPT 阴螺纹转阳螺纹

产品型号	P-NPT 阴螺纹规格	Px-NPT 阳螺纹规格	尺寸(mm)		
			A	E	H
IRA-4N-2N	1/4	1/8	32.0	4.8	19.1
IRA-6N-2N	3/8	1/8	33.8	4.8	22.2
IRA-6N-4N	3/8	1/4	38.1	7.1	22.2
IRA-8N-2N	1/2	1/8	40.1	4.8	27.0
IRA-8N-4N	1/2	1/4	44.7	7.1	27.0
IRA-8N-6N	1/2	3/8	44.4	9.6	27.0
IRA-12N-4N	3/4	1/4	47.0	7.1	33.3
IRA-12N-6N	3/4	3/8	46.2	9.6	33.3
IRA-12N-8N	3/4	1/2	51.3	11.9	33.3
IRA-16N-4N	1	1/4	49.8	7.1	41.3
IRA-16N-8N	1	1/2	54.9	11.9	41.3
IRA-16N-12N	1	3/4	55.1	15.7	41.3

可根据要求提供 ISO 锥形螺纹

IRHB
大阳小阴螺纹接头





NPT 阳螺纹转阴螺纹

产品型号	P-NPT 阴螺纹规格	Px-NPT 阳螺纹规格	尺寸(mm)		
			A	E	H
IRHB-4N-2N	1/4	1/8	26.9	7.1	14.3
IRHB-6N-2N	3/8	1/8	21.8	8.6	17.5
IRHB-6N-4N	3/8	1/4	30.2	9.6	19.1
IRHB-8N-2N	1/2	1/8	27.4	8.6	22.2
IRHB-8N-4N	1/2	1/4	27.4	11.4	22.2
IRHB-8N-6N	1/2	3/8	35.8	11.9	22.2
IRHB-12N-4N	3/4	1/4	27.4	11.4	27.0
IRHB-12N-6N	3/4	3/8	27.4	15.0	27.0
IRHB-12N-8N	3/4	1/2	41.4	15.7	27.0
IRHB-16N-4N	1	1/4	34.8	11.4	34.9
IRHB-16N-6N	1	3/8	34.8	15.0	34.9
IRHB-16N-8N	1	1/2	34.8	18.5	34.9
IRHB-16N-12N	1	3/4	47.0	22.4	34.9

可根据要求提供 ISO 锥形螺纹

IHC
六方阴螺纹接头





NPT 阴螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)		
		A	E	H
IHC-2N	1/8	20.6	8.6	14.3
IHC-4N	1/4	30.2	11.4	19.1
IHC-6N	3/8	33.3	15.0	22.2
IHC-8N	1/2	39.6	18.5	27.0
IHC-12N	3/4	41.1	23.9	33.3
IHC-16N	1	50.8	29.7	41.3

可根据要求提供 ISO 锥形螺纹

IHRC
六方阴螺纹变径接头





NPT 阴螺纹

产品型号	P-NPT 螺纹规格	Px-NPT 螺纹规格	尺寸(mm)		
			A	E	H
IHRC-4N-2N	1/4	1/8	31.0	8.6	19.1
IHRC-6N-4N	3/8	1/4	35.1	11.4	22.2
IHRC-8N-2N	1/2	1/8	39.6	8.6	27.0
IHRC-8N-4N	1/2	1/4	44.4	11.4	27.0
IHRC-8N-6N	1/2	3/8	45.2	15.0	27.0
IHRC-12N-4N	3/4	1/4	46.0	11.4	33.3
IHRC-12N-8N	3/4	1/2	52.3	18.5	33.3
IHRC-16N-8N	1	1/2	55.6	18.5	41.3
IHRC-16N-12N	1	3/4	57.2	23.9	41.3

可根据要求提供 ISO 锥形螺纹



IPG
ISO平垫片



ISO 平紫铜垫片

产品型号	ISO 平行螺纹规格	尺寸(mm)		
		E	H	T
IPG-2	1/8	10.2	1.0	16.0
IPG-4	1/4	13.4	1.5	19.5
IPG-6	3/8	17.0	1.5	24.0
IPG-8	1/2	21.2	1.5	29.0
IPG-12	3/4	27.2	2.0	34.5
IPG-16	1	34.0	2.0	42.0

IPP
螺纹堵头




NPT 阳螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)	
		A	H
IPP-2N	1/8	19.1	11.1
IPP-4N	1/4	24.4	14.3
IPP-6N	3/8	25.1	17.5
IPP-8N	1/2	30.7	22.2
IPP-12N	3/4	30.7	27.0
IPP-16N	1	38.1	34.9

可根据要求提供 ISO 锥形螺纹

IPC
螺纹管帽




NPT 阴螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)	
		A	H
IPC-2N	1/8	19.1	14.3
IPC-4N	1/4	23.1	19.1
IPC-6N	3/8	26.2	22.2
IPC-8N	1/2	34.0	27.0
IPC-12N	3/4	36.6	33.3
IPC-16N	1	41.1	41.3

可根据要求提供 ISO 锥形螺纹

IFE
阴螺纹弯头




NPT 阴螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)		
		L	E	H
IFE-2N	1/8	24.0	7.1	12.7
IFE-4N	1/4	29.0	10.4	17.5
IFE-6N	3/8	34.5	12.7	20.6
IFE-8N	1/2	37.0	17.1	25.4
IFE-12N	3/4	46.5	22.4	31.8
IFE-16N	1	48.8	28.1	42.9

可根据要求提供 ISO 锥形螺纹

ISE

阴阳螺纹弯头




NPT 阴螺纹转阳螺纹

产品型号	P-NPT 阴螺纹规格	Px-NPT 阳螺纹规格	尺寸(mm)			
			L	S	E	H
ISE-2N	1/8	1/8	24.0	19.6	4.8	12.7
ISE-4N	1/4	1/4	29.0	26.5	7.1	17.5
ISE-6N	3/8	3/8	34.5	28.2	9.6	20.6
ISE-8N	1/2	1/2	37.0	35.3	11.9	25.4
ISE-12N	3/4	3/4	46.5	39.6	15.7	31.8
ISE-16N	1	1	48.8	49.2	22.4	42.9

可根据要求提供 ISO 锥形螺纹

IRSE
阴阳螺纹变径弯头




NPT 阴螺纹转阳螺纹

产品型号	P-NPT 阴螺纹规格	Px-NPT 阳螺纹规格	尺寸(mm)			
			L	S	E	H
IRSE-2N-1N	1/8	1/16	26.4	22.1	3.0	12.7
IRSE-4N-2N	1/4	1/8	29.0	22.4	4.8	17.5
IRSE-6N-4N	3/8	1/4	34.5	28.2	7.1	20.6
IRSE-8N-4N	1/2	1/4	37.0	30.5	7.1	25.4
IRSE-8N-6N	1/2	3/8	37.0	30.5	9.6	25.4
IRSE-12N-8N	3/4	1/2	46.5	39.6	11.9	31.8
IRSE-16N-8N	1	1/2	48.8	44.5	11.9	42.9

可根据要求提供 ISO 锥形螺纹

IME
阳螺纹弯头




NPT 阳螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)		
		L	E	H
IME-2N	1/8	19.1	4.8	12.7
IME-4N	1/4	24.5	7.1	12.7
IME-6N	3/8	26.9	9.6	17.5
IME-8N	1/2	33.2	11.9	20.6
IME-12N	3/4	35.3	15.7	25.4
IME-16N	1	44.5	22.4	31.8

可根据要求提供 ISO 锥形螺纹

IFT
阴螺纹三通




NPT 阴螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)			
		A	L	E	H
IFT-2N	1/8	48.0	24.0	7.1	12.7
IFT-4N	1/4	58.0	29.0	10.4	17.5
IFT-6N	3/8	69.0	34.5	12.7	20.6
IFT-8N	1/2	74.0	37.0	17.1	25.4
IFT-12N	3/4	93.0	46.5	22.4	31.8
IFT-16N	1	97.0	48.5	28.1	42.9

可根据要求提供 ISO 锥形螺纹

IBT
支管阳螺纹三通




NPT 阴螺纹转阳螺纹

产品型号	P-NPT 阴螺纹规格	Px-NPT 阳螺纹规格	尺寸(mm)				
			A	L	S	E	H
IBT-2N	1/8	1/8	48.0	24.0	19.6	4.8	12.7
IBT-4N	1/4	1/4	58.0	29.0	26.5	7.1	17.5
IBT-6N	3/8	3/8	69.0	34.5	28.2	9.6	20.6
IBT-8N	1/2	1/2	74.0	37.0	35.3	11.9	25.4
IBT-12N	3/4	3/4	93.0	46.5	39.6	15.7	31.8
IBT-16N	1	1	97.0	48.5	49.2	22.4	42.9

可根据要求提供 ISO 锥形螺纹

IRT
主管阳螺纹三通




NPT 阴螺纹转阳螺纹

产品型号	P-NPT 阴螺纹规格	Px-NPT 阳螺纹规格	尺寸(mm)				
			A	L	S	E	H
IRT-2N	1/8	1/8	43.6	24.0	19.6	4.8	12.7
IRT-4N	1/4	1/4	55.5	29.0	26.5	7.1	17.5
IRT-6N	3/8	3/8	62.7	34.5	28.2	9.6	20.6
IRT-8N	1/2	1/2	72.3	37.0	35.3	11.9	25.4
IRT-12N	3/4	3/4	86.1	46.5	39.6	15.7	31.8
IRT-16N	1	1	97.7	48.5	49.2	22.4	42.9

可根据要求提供 ISO 锥形螺纹

IMT 阳螺纹三通




NPT 阳螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)			
		A	L	E	H
IMT-2N	1/8	38.2	19.1	4.8	12.7
IMT-4N	1/4	49.0	24.5	7.1	12.7
IMT-6N	3/8	53.8	26.9	9.6	17.5
IMT-8N	1/2	66.4	33.2	11.9	20.6
IMT-12N	3/4	70.6	35.3	15.7	25.4
IMT-16N	1	89.0	44.5	22.4	31.8

可根据要求提供 ISO 锥形螺纹

IFC 阴螺纹四通



NPT 阴螺纹

产品型号	P-NPT 螺纹规格	尺寸(mm)			
		A	L	E	H
IFC-2N	1/8	48.0	24.0	7.1	12.7
IFC-4N	1/4	58.0	29.0	10.4	17.5
IFC-6N	3/8	69.0	34.5	12.7	20.6
IFC-8N	1/2	74.0	37.0	17.1	25.4
IFC-12N	3/4	93.0	46.5	22.4	31.8
IFC-16N	1	97.0	48.5	28.1	42.9

可根据要求提供 ISO 锥形螺纹